Work Order ID 93308

November-15-12 11:26:04 AM

Page 1

Item ID: 647.1712 Accept Setup Start \*N900040100\* **Revision ID:** Stop Item Name: Gusset \*10\* **Start Qty: 10.00 Start Date:** 11/19/12 **Cust Item ID:** Required Date: 12/07/12 **Reg'd Qty:** 10.00 **Customer:** Reference: Run Start Process Plan: MLJ Date: 12-11-16 Tooling: Approvals: Date: Stop SPC (Y/N): Date: Date: Sequence ID/ Set Up/ Tool ID Tool # Plan Operation Accept Reject Reject Description Qty Work Center ID **Run Hours** Code Qty. Number Stamp **Revision Nbr** Draw Nbr 647.1700 N/C 110 0.00 \*110\* Waterjet 0.00 Memo 1-Cut as per Dwg FLOW CNC Waterjet Dwg Rev: N/L 7995- .050 2-Deburr if necessary 120 QC2- Inspect parts off machine FAI/FAIB 0.00 \*120\* QC 0.00 Memo Quality Control

									DQA:	Date:	
NCR: Y	es / No				WORK ORDER NON-	CONFOR	MANCE / UP	DATE	QA Closed:	Date:	e de
Work Orde	ar:			., .	DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
WOIK OIGE	···			<del></del>	Rework	7	Skid-tube	Crosstube	7	Water Jet	Engineering
Part N	lo.				Scrap	†	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
					Use-as-is	<b>⊣</b> 1	moforming	Finishing		re/Packaging	Other
NCR N	lo				Work Order Update	]	Large Fab	Composite	]	Supplier	
Root		<del> </del>	r	Doscri	ption of work order update	Initial	Ι Λ.	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng		ription	Date	Verification	QC Inspector
Doc/Data	Date	Step	Qty		or won-comormance	Cilier Ling	Desc	приоп	Date	Vermeation	QC ITSPECTOR
quip/Tooling	-										:
Operator	7										
Material						- ·					
etup											; ;
Other											
Process											
Supplier											
[raining											
Jnapproved											
					<u></u> F	AULT CATE	GORY		·		
Landir	ng Gear				General				¬		7
	Bending				Bend	Grain			Ovalized		Pressure/Forced
	Centre N	ot Concer	ntric to	o/s	BOM/Route	Hardwa			Over/Under	tolerance	Temperature/Cure
	Cracks			_	Broken/Damaged	$\boldsymbol{\vdash}$	ion Incomplete	<u> </u>	Part Incorre	<del> </del>	Weld
1	Crushed/	Crimped.			Burrs	<del></del>	tions Incomplete/	Unclear	Part Lost/M	issing	Wrong Stock Pulled
1	Cuffs				Contamination	Mainte	enance	<u></u>	Part Moved		
İ	Heat Trea	at			Countersink	Mislab	eled		Positioned V	Vrong	

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

Other

Power Loss/Surge

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Folio

<b>Work Orde</b> November-15-12					*933	<b>೧</b> 8*							Page 2	
Item ID: Revision ID: Item Name: Start Date: Required Date:	647.1712 Gusset 11/19/12 12/07/12	Start Qty: 10.00 Req'd Qty: 10.00		*10* *10*	Accept	*N900  Cust Item II  Customer:		100	*	Setup	Start Stop	*N:		
Reference: Approvals:		n:			Tooling: SPC (Y/N):		nte:			Run	Start Stop		₹1* ₹2*	
Sequence ID/ Work Center II 130 *130* QC Quality Control	D	Operation Description QC8- Inspect parts - seco	nd check		Set Up/ Run Hous 0.00 15 11 25 0.00 13 11 25	Tool ID	Tool#	Plan Code	Accept Qty	Rej Qty		Reject Number	Insp. Stamp	
140 *140* Brake NC Brake NC		Form as per dwg Memo		,	0.00				10		·		SB102	પ
150 *150* QC		QC5- Inspect part comple	eteness to st	ep on W/O	0.00 SM				İC	<del> </del>				

Quality Control

NICD.	Vac	1	Nia
NCR:	Yes	/	No

## WORK ORDER NON-CONFORMANCE / UPDATE

$\mathcal{L}$	
DQA: Date: /3/05/22	
TO TO TO THE TOTAL OF THE TOTAL	
	•

					-			·	QA Closed:	Date:	17<10
Work Order: 93358  DISPOSITION  AGAINST DEPARTMENT/PROCESS  Rework  Skid-tube  Crosstube  Water Jet  Engineering											
		<u> </u>			Rework	7 <b> </b>	Skid-tube	Crosstube	].	Water Jet	Engineering
Part No	r. 647	- 17	712		Scrap	<b>7</b>	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
	10			\	Use-as-is	Ther	moforming	Finishing	Rec/Sto	re/Packaging	Other
NCR No		-26	<u>U</u>	, 	Work Order Update	]	Large Fab	Composite	j	Supplier	J
	<del></del>	Τ	1 1			1 1 1 1 1 1		- <b>.</b>	C: 0	<b>-</b>	1
Root	D-4-	C+	0		ption of work order update	Initial	1	ction	Sign &	\/avification	OC Increases
Cause	Date	Step	Qty		or Non-conformance	Chief En	g Desc	cription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling	4			12	pières are p misread S	CAO		auts	13/2/13	Smb	DAS
Operator	7			( "		1 16	Screp	of delivery	(30000)	13,2.13	16
Material	┥ 、			Scra	p missed	3-0		1		15,2,1	D-89
Setup	1 1,13	130	1121	' du	Le	A 57. 10 2	recut p	aus .			
Other	131000	1670		000	2		'	. 4			QSZU42
Process	1					13/21	3 12-118	654-1			13/2/13
Supplier	1			0		5p(	10 115	119			1712113
Training	1			). ¥	LAO		(X)	; X10 - 10			
Unapproved	1				, .			1290		:	
					F	AULT CAT	EGORY	J. 12			
Landing	Gear				General			Va			<u> </u>
	Bending				Bend	Grain			] Ovalized		Pressure/Forced
	Centre No	ot Concer	ntric to (	o/s	BOM/Route	Hardw	are	211	Øyer/Ønder	tolerance	Temperature/Cure
	Cracks				Broken/Damaged	Inspec	tion Incomplete		PerUncorre		Weld
	Crushed/	Crimped.		<u> </u>	Burrs	Instru	tions Incomplete/	Unclear ( ')	Part Lost/M	issing /	Wrong Stock Pulled
I L	Cuffs			L.	Contamination	Maint	enance	/1/1/	Part Moved	/	
	Heat Trea			<u></u>	Countersink	Mislat	eled		Positioned V	· · / —	7
	Inspection	•	Tube		Cut Too Short	Misrea			Power Loss/	Surge	Other
<u> </u>	Ripples in			<u> </u>	Drill Holes	Offset		1		/	
	Torque W		xtrusion	۱ <u> </u>	Drawing	<del></del>	Calibration	\ \X\	_//	<u></u>	
-	Turning S	•		<u> </u>	Finish	<del></del> -	Sequence	\	//_		
1	Wave/Tw	ist in Tub	e e		Folio	Outsic	e Dimensions				

<b>Work Orde</b> November-15-12				*93	308*			,			Page 3
Revision ID:	647.1712 Gusset			Accept	*N900	<u>040</u>	100	)* s	etup Star Stop	1 🚺	S1* S2*
	11/19/12 12/07/12	Start Qty: 10.00 Req'd Qty: 10.00	*10 *10		Cust Item I Customer:	D:					
Approvals:		an:				ate:		R	kun Star Stoj	1/1	R1* R2*
Sequence ID/ Work Center II	D	Operation Description Outsource process-Anodi	ze per QSI017 4.1.10.	Set Up/ Run Hours	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
*160* Outsource4 Outsource process -	Anodize	<b>Memo</b> ISSUE P/O:_ HARD ANO	/9280 DIZE, COLOR BLAC	0.00 CK AS PER DWG.(SEE NO	OTE 3)				R	13-3	-7
170		Receive & Inspect for Da	ımage & Mat'l Certs	0.00				( .			
*170* Packaging Packaging		Memo		0.00				_(6	X ·	V	30
180		QC5- Inspect part comple	eteness to step on W/C	0.00				10			
*120*		Memo		0.00 13 4	9			· U			

~ Quality Control

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-O	COI	NFORM	MANCE / UPDATE				-
					·						QA Closed:	Date	: 
Work Ord	er:					DISPOSITION			AGAIN	ST DE	PARTMENT	/PROCESS	
Part I	No.					Rework Scrap Use-as-is Work Order Update	Scrap Machining Small Fab Prod. Eng. C Use-as-is Thermoforming Finishing Rec/Store/Packa rk Order Update Large Fab Composite Sup						
Root					Descri	otion of work order update		Initial	Action		Sign &		
Cause		Date	Step	Qty	c	or Non-conformance	Ch	nief Eng	Description		Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
							AUL	LT CATE	GORY				
Landi		Bending Centre No Cracks Crushed/O Cuffs Heat Trea Inspection	Crimped. t n Strip in		O/S	General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short		Instruct Mainte Mislabe Misread	on Incomplete ions Incomplete/Unclear nance led		Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct ssing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
		Ripples in	Bend			Drill Holes	Offset						·

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

<b>Work Orde</b> November-15-12				*933	R08*							Page 4
Item ID: Revision ID:	647.1712			Accept	*N900	040	100	)*	Setup		*N	S1*
Item Name:	Gusset									Stop	*N	S2*
Start Date: Requiréd Date:	11/19/12 12/07/12	Start Qty: 10.00 Req'd Qty: 10.00	*10* *10*		Cust Item : Customer:	ID:						
Reference:									D	Stant		
Approvals:	Process Pla	n:	Date:	Tooling:	D	ate:			Run	Start	*N	R1*
	QC:		Date:	_ SPC (Y/N):	D	ate:				Stop	*N	R2*
Sequence ID/ Work Center II	)	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	t Rej Qty		Reject Number	Insp. Stamp
*100* SprayPaint Spray Painting		<b>Memo</b> PRIME IAW	MIL-P-23377J TYPE1 (	0.00 0.00 CLASS N AS PER DWG.	(SEE NOTE 3)			10	<del></del>	<del></del>	<u> ち.</u>	P./ss
		CARDINAL	4860-50 PRIMER BATO	сн: <u>125243</u>								
<sup>200</sup>		QC14- Inspect Spray Pain	t .	0.00 (AS)	13/15/13			(¥10	`			
QC Quality Control		Memo		0.00 ీ కో	170.07			<u> </u>	<i>}</i>			
210		Identify as per dwg & Stoo	ck Location: 8 53	0.00								

\*210\*
Packaging

Packaging \*

\*\*\*IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV\*\*\*

0.00

10x

13º2 B

									DQA:	Date:	
NCR: Ye	es / No				PDATE	QA Closed:	Date:				
<del> </del>					VIII	<u> </u>		<u> </u>			
Work Order	·· <u>·</u>				DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
			<u>-</u>		Rework		Skid-tube	Crosstube		Water Jet	Engineering
Part No	o.				Scrap		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
				<del></del>	Use-as-is Thermoforming Finishing					re/Packaging	Other
NCR No	o				Work Order Update		Large Fab	Composite		Supplier	
							<del>r</del> .			· ·	
Root		İ		Descri	ption of work order update	Initial	1	ction	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desc	cription	Date	Verification	QC Inspector
Doc/Data		1	· '								•
Equip/Tooling											
Operator		1	1							.'	•
Material					•						•
Setup											
Other											. 4.
Process			Ì					•			
Supplier											
Training								-			
Unapproved											
					FA	<b>AULT CATE</b>	GORY				

Landing	Gear	General		_	 _	_
	Bending	Bend		Grain	Ovalized	Pressure/Forced
	Centre Not Concentric to O/S	BOM/Route		Hardware	Over/Under tolerance	Temperature/Cure
	Cracks	Broken/Damaged		Inspection Incomplete	Part Incorrect	Weld
	Crushed/Crimped.	Burrs	Г	Instructions Incomplete/Unclear	Part Lost/Missing	Wrong Stock Pulled
	Cuffs	Contamination		Maintenance	Part Moved	
	Heat Treat	Countersink		Mislabeled	Positioned Wrong	 _
	Inspection Strip in Tube	Cut Too Short		Misread	Power Loss/Surge	Other
	Ripples in Bend	Drill Holes		Offset		
	Torque Waves in Extrusion	Drawing	Г	Out of Calibration		
	Turning Sequence	Finish		Out of Sequence		
	Wave/Twist in Tube	Folio		Outside Dimensions		

<b>Work Ord</b> November-15-12				*933				Page 5				
Item ID: Revision ID: Item Name:	647.1712 Gusset			Accept	*N900	040	100	)* s	etup Star Stop	1 71	S1* S2*	
Start Date: Required Date: Reference:	11/19/12 12/07/12	Start Qty: 10.00 Req'd Qty: 10.00	*10* *10*		Cust Item I Customer:	D:						
Approvals:	Process Pl	an:	Date:	Tooling: SPC (Y/N):		nte:		R	tun Star Stop	1/1	R1* R2*	
Sequence ID/ Work Center II	D	Operation Description QC21- Final Inspection -	Work Order Release	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp	
*220* QC Quality Control		Memo		0.00					13/5	113C	FX 13-05	~13

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-O	COI	NFORM	MANCE / UP	DATE			
									•		QA Closed:	Date:	
Work Ord	or.					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part I	No.					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	<b>⊣</b> i	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update		Initial	Ac	ction	Sign &		
Cause		Date	Step	Qty	C	or Non-conformance	Ch	nief Eng	Desc	cription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
							AUL	LT CATE	GORY				
Landi		Bending Centre No Cracks Crushed/O Cuffs Heat Trea Inspection	Crimped. t n Strip in		o/s	General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short		Instruct Mainte Mislabe Misread	on Incomplete ions Incomplete/ nance led	/Unclear	Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned V	ct issing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
	Ιi	Ripples in	Bend		1	Drill Holes	1	Offset					

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

. Picklist Print

November-15-12 11:26:03 AM

Work Order ID:

93308

Parent Item:

647.1712

Parent Item Name:

Gusset

**Start Date:** 11/19/12

Required Date: 12/07/12

**Start Qty: 10.00** 

Required Qty: 10.00

Comments:

IPP REV:A 12.10.04 NEW ISSUE DD VERF:JFS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6S.050 7075-T6 SHEET .050		Purchased	No				sf	24.4000		4.34	6, BU	-11-7	7
				Location MAT022		<b>Loc Qty</b> 24 4	Lo	c Code		l	<b>3</b> )		

24.4

118654

										DQA:	Date:	
NCR: Y	'es	/ No				WORK ORDER NON-O	CONFOR	MANCE / UP		QA Closed:	Date:	•
Work Orde	r: _			_		DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Part N	lo				<del></del>	Rework Scrap Use-as-is	1 1	Skid-tube Machining noforming	Crosstube Small Fab Finishing		Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR N	lo					Work Order Update		Large Fab	Composite		Supplier	
Root					Descri	ption of work order update	Initial	Ac	tion	Sign &		
Cause		Date	Step	Qty	(	or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data							ļ					
Equip/Tooling												
Operator							]					
Material							1			ŀ		

## **Landing Gear** General Bend Grain Ovalized Pressure/Forced Bending BOM/Route Hardware Over/Under tolerance Temperature/Cure Centre Not Concentric to O/S Broken/Damaged Part Incorrect Cracks Inspection Incomplete Weld Wrong Stock Pulled Crushed/Crimped. Instructions Incomplete/Unclear Part Lost/Missing Burrs Cuffs Maintenance Part Moved Contamination Heat Treat Countersink Mislabeled Positioned Wrong Other Inspection Strip in Tube Cut Too Short Misread Power Loss/Surge Ripples in Bend Drill Holes Offset Torque Waves in Extrusion Drawing Out of Calibration Turning Sequence Finish Out of Sequence Wave/Twist in Tube Folio **Outside Dimensions**


**FAULT CATEGORY** 


Setup
Other
Process
Supplier
Training
Unapproved


APICAL INDUSTRIES, INC.	ENGINEERING  DWG NO. 647  DWG TITLE:  APPROVED BY: ENGR	.1700 RE	V: NC BR LECTOR	ASSY	02937 JACKSON D	DATE: 07/	14/10   01	OF 1 ECT ON DWG NC. EN UNINC.
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE	REASON: REVISE		1 20		Maux	DIMENSIONS	EFF: CURREN	***
PRETREAT PRC-DI		5 IYPE HI CLAS ON PROMOTER. Č	904DA & 2		SHOP SHOP SHOP SHOP SHOP SHOP SHOP SHOP	HEET 2, INE A1 IS:	4.15	A
8 R 601.1622	1   scpr./				,			57)
	1 SCREW QTY DESCRIPTION		<del>1. ,</del>				27039-1-14 TERIAL/SPE(	/ ·
DOCUMENTS EFFECTED:		INSTRUC	FMS 🗆 ICA	Ø BOM	CHANGE CATEGI	nev   nee e	EVIEW REQUIR	
		7A						,


MATERIAL: 707516 ALUMINUM PER AMS-QQ-A 250/12  AMATERIAL: 6061-16 ALUMINUM BAR IAW AMS-QQ-A-250/11  SHINSH: HARD ANODIZE IAW MIL-A-8625 TYPE III CLASS 2. COLOR BLACK CARDINAL 886-50 FRETREATMENT FREMER: FRIME LAW MIL-7-2577 TYPE I CLASS  DEBURY IAW MIL-7-2577 TYPE I CLASS  LIDENTIFY IAW MPP-120  CLAMP EVIL 1. 2. A. 2. THEN MATE AND MATCH DRILL HOLES FROM.  EVIL 18. 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  UNINCORPORATED ECN(S)  23/3-7  UNINCORPORATED ECN(S)  23/3-7  UNINCORPORATED ECN(S)  23/3-7  1 1 7 601299 ICCCUM MERROLD  23/3-7  1 1 1 8 6012407 ICCCUM MERROLD  1 1 1 7 601299 ICCCUM MERROLD  1 1 1 7 601299 ICCCUM MERROLD  1 1 1 7 601299 ICCCUM MERROLD  1 1 1 7 601299 ICCCUM MERROLD  1 1 1 8 6012407 ICCCUM MERROLD  1 1 1 7 601299 ICCCUM MERROLD  1 1 1 1 7 601299 ICCCUM MERROLD  1 1 1 1 7 601299 ICCCUM MERROLD  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
ATERIAL 6061-T6 ALLWINIUM BAR IAW AMS-QQ-A-250/11  3 FINISH: HARD ANODIZE IAW MILLA-8625 TYPE III CLASS 2. COLOR BLACK: CARDINAL 4860-50 PREPREATMENT PRIMER: PRIME IAW MIL-23377) TYPE I CLASS N  4 DEBURY IAW MPF-122  € CLAMP F/N 1. 2. 8. 4: THEN MATE AND MATCH DRILL HOLES FROM F/N 1.8. 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  UNINCORPORATED ECN(S)  0.2927  UNINCORPORATED ECN(S)  0.2927  1 8 601-969 SCREW MILLA-861-961 (1995)  1 1 8 601-969 SCREW MILLA-861-961 (1995)  1 2 2 5 601-975 9975 (1995)  1 1 1 8 601-969 SCREW MILLA-861-961 (1995)  1 1 1 8 601-969 SCREW MILLA-861-961 (1995)  1 2 2 5 601-975 9975 (1995)	NOTES:	
S FINISH- HARD ANODIZE IAW MIL-A-8625 TYPE II CLASS 2 COLOR BLACK CARDINAL 860-50 FRETREAMENI FRIMER: FRIME IAW MIL-23377 TYPE I CLASS N  1. DEBUTER AND BREAK ALL SHARP EDGES  5. IDENTIFY IAW MPP-120  CLAMP F/N 1, 2, 8, 47 THEN MATE AND MATCH DRILL HOLES FROM F/N 18, 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  UNINCORPORATED ECN(S)  0.29373.  UNINCORPORATED ECN(S)  0.29373.	MATERIAL: 7075-16 ALUMINUM PER AMS-QQ-A-250/12	
COLOR BLACK: CARDINAL 480-05 OFFICE MENT PRIMER: PRIME IAW MILE 723771 TYPE I CLASS N  4. DEBURR AND BREAK ALL SHARP EDGES  5. IDENTIFY IAW MPP-120  CLAMP F/N 1, 2, 8, 4: THEN MATE AND MATCH DRILL HOLES FROM F/N 18, 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  UNINCORPORATED ECN(s)  02937  3 22 PL  1 1 8 101 2437 SCREW MICHAELTS  1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 4 40 17173 SWEET COSDEAN  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MATERIAL: 6061-T6 ALUMINUM BAR IAW AMS-QQ-A-250/11	
5. IDENTIFY IAW MPP-120  CLAMP F/N 1, 2, 8, 4: THEN MATE AND MATCH DRILL HOLES FROM F/N 18, 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  UNINCORPORATED ECN(\$)  29372.  3 22 PL  1 1 8 601.2637 SCREW MSG19053 PM MSG19053	FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III CLASS 2. COLOR BLACK: CARDINAL 4860-50 PRETREATMENT PRIMER: PRIME IAW MIL-P-23377J TYPE I CLASS N	
CLAMP F/N 1, 2, & 4; THEN MATE AND MATCH DRILL HOLES FROM F/N 1 & 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  UNINCORPORATED ECN(s)  2923-  1   8   601.2637   SCREW   M57/05-15    1   7   601.2643   LOCKNUT   M51/05-3    22   5   601.1607   WASHER   HISLIFFROMORY	4. DEBURR AND BREAK ALL SHARP EDGES	
F/N 1 & 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  UNINCORPORATED ECN(s)  2932  UNINCORPORATED ECN(s)  2932  1   8   601 2637   SCREW   M57/05-113   1   7   601 2943   LOCKNUT   M910533   1   2   6   691 1607   W49 HR   M9110928   1   4   647 1713   SWACER   C9313-44   A	5. IDENTIFY IAW MPP-120	
2 PL 6  1701 FIND # PART # DESCRIPTION MAT'L SPEC.  QTY PARTS LIST  NEXT ASSY (S) FORCE PT APICAL INDUSTRIES	F/N 1 & 2 ONTO F/N 3 AS SHOWN ON SHEET 2.  3 6  3 22 PL	1   8   691.2637   SCREW   M527056-1-13
Comparing preserve   Continue		OCEANSIDE, CA. 92056-3512 (760)724-5300

The second of the first transfer of the second of the seco









Description: GuSSET Part Nu	rder: 93368
	mber: (47-17()
Inspection Dwg: (47-1717) Rev: M/C	Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
3,09	4 .008	3,681	<del>}-</del> ·		VIBO	
Here.	The state of the s	4				
1.06	7 .005	1.061	<b>)</b> -	e.	V	
105	17 ,006	,6495	2		1/	
`				,		
₹.		-				
3.08	11-0030	3.085"			V	Jono:
11.00"	11-0030	11.013"			ν	Rodinson
1.06	11-0.530.	1.063"			V	ų t
0.050	He 2030"	0.048"	_		V	
				·	·	
			14	de		
						•
						·
		200 mm and 100 mm and				`
				,		·
						11 rapidements #
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
•					·	
			la fu ii b≃ 	* 4. °		, , , , , , , , , , , , , , , , , , ,
						· · · · ·
	·					
		*	7.			
				14		
<del></del>						
<del>_</del> ,						

Measured by: B JM

Date: 12-11-27

Audited by: 15

Preliminary Approval:

Date:

13-2-13



A.T.G. Industries Inc. 731, rue Industrielle Rd. PLATING DEPARTMENT Rockland, On K4K 1T2 Canada

Ph: (613) 446-4544 Fax: (613) 446-4556

## Pack List

Number: 62300

Date: 08-Apr-13

To

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 Canada Ship To

DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY, ON K6A 1K7

Fax: 613-632-1185 Ph: 613-632-5200 Fax: 613-632-1185 Ph: 613-632-5200 Ship Via Terms Quantity Description Rev: 1 Part: ASST lot 24 PCS 647 1711 15 PCS 647,1712 31 PCS 647.1910 8 PCS 647.1911 5 PCS 647.7911 12 PCS 647.1710 HARD ANODIZE BLACK MIL-A-8625 TYPE III CLASS 2 Line: Job: 20130197 PO: 19280 Certificate of Conformance A.T.G. Industries certifies that all items in this shipment are in conformance with all requirements, specifications and drawings referenced in the purchase order. ISO 9001: 2008 REGISTERED ATG SALES-2010 TERMS APPLY CERTIFIED SIGNATURE: RECEIVER SIGNATURE: 横建水燃料等的设施。这些

W. 18/2